

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	29596	xml or (extensible near3 language) or ((markup or mark-up) near3 language)	US-PGPUB; USPAT
2	BRS	L2	234	masp or (mediat\$4 near3 attribute near3 stor\$4 near3 protocol)	US-PGPUB; USPAT
3	BRS	L3	21372	(session near3 protocol) or (protocol near3 layer)	US-PGPUB; USPAT
4	BRS	L4	129547 6	(application near3 data) or payload or data	US-PGPUB; USPAT
5	BRS	L5	1	1 and 2	US-PGPUB; USPAT
6	BRS	L6	21053	3 and 4	US-PGPUB; USPAT
7	BRS	L7	3282	1 and 6	US-PGPUB; USPAT
8	BRS	L8	1309	xml.ti,ab. or (extensible near3 language).ti,ab.	US-PGPUB; USPAT
9	BRS	L9	107	6 and 8	US-PGPUB; USPAT
10	BRS	L10	37	9 and "709"/\$.ccls.	US-PGPUB; USPAT
11	BRS	L11	19	9 and (@ad<"20000313" or @rlad<"20000313" or @prad<"20000313" or @ptld<"20000313" or @pd<"20000313")	US-PGPUB; USPAT
12	BRS	L12	7	10 and (@ad<"20000313" or @rlad<"20000313" or @prad<"20000313" or @ptld<"20000313" or @pd<"20000313")	US-PGPUB; USPAT
13	BRS	L13	13025	3 same 4	US-PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
14	BRS	L14	237	1 same 13	US- PGPUB; USPAT
15	BRS	L15	39	14 and (@ad<"20000313" or @rlad<"20000313" or @prad<"20000313" or @ptld<"20000313" or @pd<"20000313")	US- PGPUB; USPAT
16	BRS	L16	19	15 and "709"/\$.ccls.	US- PGPUB; USPAT
17	BRS	L17	1206	xml.ti,ab.	US- PGPUB; USPAT
18	BRS	L18	328	xml same 3	US- PGPUB; USPAT
19	BRS	L19	1886	xml same ((application near3 data) or payload)	US- PGPUB; USPAT
20	BRS	L20	101	18 and 19	US- PGPUB; USPAT
21	BRS	L21	16	17 and 20	US- PGPUB; USPAT
22	BRS	L22	1	21 and (@ad<"20000313" or @rlad<"20000313" or @prad<"20000313" or @ptld<"20000313" or @pd<"20000313")	US- PGPUB; USPAT
23	BRS	L23	15544	client.ti,ab.	US- PGPUB; USPAT
24	BRS	L24	30772	server.ti,ab.	US- PGPUB; USPAT
25	BRS	L25	10044	23 and 24	US- PGPUB; USPAT
26	BRS	L26	95	17 and 25	US- PGPUB; USPAT

	Type	L #	Hits	Search Text	DBs
27	BRS	L27	14	26 and protocol.ti,ab.	US- PGPUB; USPAT
28	BRS	L28	12	26 and (@ad<"20000313" or @rlad<"20000313" or @prad<"20000313" or @ptld<"20000313" or @pd<"20000313")	US- PGPUB; USPAT
29	BRS	L29	94883	(session or protocol or communicat\$4) near3 (layer or protocol)	US- PGPUB; USPAT
30	BRS	L30	76923	application near3 (layer or protocol)	US- PGPUB; USPAT
31	BRS	L31	2287	xml same 29	US- PGPUB; USPAT
32	BRS	L32	876	xml same 30	US- PGPUB; USPAT
33	BRS	L33	436	31 and 32	US- PGPUB; USPAT
34	BRS	L34	137	33 and "709"/\$.ccls.	US- PGPUB; USPAT
35	BRS	L35	12	34 and (@ad<"20000313" or @rlad<"20000313" or @prad<"20000313" or @ptld<"20000313" or @pd<"20000313")	US- PGPUB; USPAT
36	BRS	L37	3	("6490564" "6665731" "67722 16").PN.	US- PGPUB; USPAT
37	BRS	L38	24	jones-mark-a.in.	US- PGPUB; USPAT; EPO; JPO; DERWEN T

	Type	L #	Hits	Search Text	DBs
38	BRS	L39	1	hansen-tony-1.in.	US- PGPUB; USPAT; EPO; JPO; DERWEN T
39	BRS	L40	1	38 and xml	US- PGPUB; USPAT; EPO; JPO; DERWEN T